

Pflanzproben SEMAG Anbau 2023 / Rütli

gepflanzt am 22.03.2023

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|-------|--------------|--------------------------|--------|-----|-------|--------|---------|-------------|-------------|
| 1 | Rütli | 2266 | Agata | 57274 | Moos Moser | 200 | A | 3.7 | 0 | 3.7 | 0 | 0 |
| 2 | Rütli | 3310 | Agata | 57755 | Riedmatte 3 | 150 | A | 2.8 | 0 | 2.8 | 0 | 0 |
| 3 | Rütli | 2428 | Agria | 57571 | Gumme | 230 | A | 0.5 | 8 | 8.5 | 0 | 0.01 |
| 4 | Rütli | 1947 | Agria | 58040 | Krumm | 78 | A | 5.4 | 2.7 | 8.1 | 0.1 | 0.1 |
| 5 | Rütli | 1911 | Agria | 56922 | Schürliweid | 152 | A | 0 | 6.5 | 6.5 | 0 | 0 |
| 6 | Rütli | 3273 | Agria | 57557 | Hausmatte | 117 | A | 1.2 | 2.8 | 4 | 0 | 0 |
| 7 | Rütli | 1942 | Agria | 57285 | Witzwil | 385 | A | 0.6 | 2.7 | 3.3 | 0 | 0 |
| 8 | Rütli | 3273 | Agria | 57556 | unterer Schachen | 157 | A | 2.8 | 0 | 2.8 | 0.01 | 0 |
| 9 | Rütli | 2208 | Agria | 57950 | Riedhalde | 100 | A | 0 | 2.7 | 2.7 | 0 | 0 |
| 10 | Rütli | 2487 | Agria | 57419 | Unterbifang I/Ä. Moos II | 80 | A | 0 | 2.7 | 2.7 | 0 | 0 |
| 11 | Rütli | 1959 | Agria | 57511 | P 39 | 670 | A | 1.6 | 0.7 | 2.3 | 0.01 | 0 |
| 12 | Rütli | 3151 | Agria | 57278 | hinten Kunz | 170 | A | 1.9 | 0 | 1.9 | 0 | 0 |
| 13 | Rütli | 3589 | Agria | 57151 | Mühlefeld | 110 | A | 1.1 | 0.5 | 1.6 | 0 | 0 |
| 14 | Rütli | 2208 | Agria | 57949 | Kreuzmatt | 100 | A | 1.1 | 0 | 1.1 | 0 | 0 |
| 15 | Rütli | 3514 | Agria | 57575 | Parzelle 9 | 210 | E | 0 | 1.1 | 1.1 | 0 | 0 |
| 16 | Rütli | 3589 | Agria | 57152 | Altwyden | 220 | E | 0 | 1.1 | 1.1 | 0 | 0.00 |
| 17 | Rütli | 3591 | Agria | 57236 | Bäniacker | 80 | E | 0 | 1.1 | 1.1 | 0 | 0 |
| 18 | Rütli | 2407 | Agria | 57303 | Unteres Feld | 200 | A | 0.5 | 0.5 | 1 | 0 | 0 |
| 19 | Rütli | 1959 | Agria | 57512 | P 39 | 400 | SE1 | 0.8 | 0 | 0.8 | 0.01 | 0 |
| 20 | Rütli | 2067 | Agria | 57958 | Matte 2 | 150 | SE1 | 0.4 | 0.4 | 0.8 | 0.01 | 0 |
| 21 | Rütli | 1959 | Agria | 57510 | P 17 | 700 | E | 0 | 0.6 | 0.6 | 0.01 | 0 |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|-------|--------------|------------------------|--------|-----|-------|--------|---------|-------------|-------------|
| 22 | Rütti | 2062 | Agria | 57023 | Buchacker 1 | 100 | A | 0.6 | 0 | 0.6 | 0.1 | 0 |
| 23 | Rütti | 3499 | Agria | 57283 | Bodenmatt II | 160 | E | 0.6 | 0 | 0.6 | 0 | 0 |
| 24 | Rütti | 3576 | Agria | 57554 | Emme 3 | 200 | E | 0.6 | 0 | 0.6 | 0 | 0 |
| 25 | Rütti | 3590 | Agria | 57173 | Längacker 3 + 4 | 208 | E | 0 | 0.6 | 0.6 | 0 | 0 |
| 26 | Rütti | 1942 | Agria | 57287 | Lange Furche | 152 | E | 0 | 0.5 | 0.5 | 0 | 0 |
| 27 | Rütti | 2286 | Agria | 57217 | Boden | 120 | A | 0.5 | 0 | 0.5 | 0.01 | 0.1 |
| 28 | Rütti | 1942 | Agria | 57284 | Riedacher / Hürlimatte | 400 | SE1 | 0.4 | 0 | 0.4 | 0 | 0 |
| 29 | Rütti | 1903 | Agria | 57101 | Erlenmatte | 320 | E | 0 | 0 | 0 | 0 | 0 |
| 30 | Rütti | 1903 | Agria | 57102 | Schybenacker | 160 | E | 0 | 0 | 0 | 0 | 0 |
| 31 | Rütti | 1958 | Agria | 57083 | Pappelhof 27 | 400 | E | 0 | 0 | 0 | 0 | 0 |
| 32 | Rütti | 2021 | Agria | 57157 | Matte 1 | 165 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 33 | Rütti | 2062 | Agria | 57022 | Stigacker | 100 | A | 0 | 0 | 0 | 0.1 | 0 |
| 34 | Rütti | 2067 | Agria | 57957 | Allmend 1 | 250 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 35 | Rütti | 2323 | Agria | 57032 | Moos | 260 | S | 0 | 0 | 0 | 0 | 0 |
| 36 | Rütti | 2465 | Agria | 57206 | Zelg | 120 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 37 | Rütti | 2472 | Agria | 57394 | Thön | 135 | E | 0 | 0 | 0 | 0 | 0 |
| 38 | Rütti | 2857 | Agria | 57091 | Unter dem Dorf | 185 | E | 0 | 0 | 0 | 0 | 0 |
| 39 | Rütti | 2857 | Agria | 57093 | Chappeli | 264 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 40 | Rütti | 3009 | Agria | 57816 | Obere Eiche | 100 | E | 0 | 0 | 0 | 0 | 0 |
| 41 | Rütti | 3009 | Agria | 57815 | Mani | 160 | E | 0 | 0 | 0 | 0 | 0 |
| 42 | Rütti | 3170 | Agria | 57275 | Husmatte 5+6 | 205 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 43 | Rütti | 3591 | Agria | 57238 | Schachen 2 + 3 | 200 | A | 0 | 0 | 0 | 0 | 0 |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|-----------|--------------|------------------------|--------|------|-------|--------|---------|-------------|-------------|
| 44 | Rütti | 3398 | Amandine | 57420 | Steingasse / Beeracker | 130 | abg. | 12.4 | 0 | 12.4 | 0 | 0 |
| 45 | Rütti | 3315 | Amandine | 57552 | Sägeli | 130 | abg. | 10.5 | 0 | 10.5 | 0 | 0 |
| 46 | Rütti | 3211 | Amandine | 57132 | Schachen | 70 | A | 8 | 0 | 8 | 0 | 0 |
| 47 | Rütti | 3211 | Amandine | 57133 | Hinter Bifang | 160 | A | 6.3 | 0 | 6.3 | 0 | 0 |
| 48 | Rütti | 3571 | Amandine | 57397 | Bruchbu | 74 | A | 5.4 | 0 | 5.4 | 0 | 0 |
| 49 | Rütti | 3574 | Amandine | 57849 | Hausacker | 160 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 50 | Rütti | 3053 | Amandine | 57213 | unterer Schachen | 250 | A | 2.6 | 0 | 2.6 | 0 | 0 |
| 51 | Rütti | 3398 | Amandine | 57422 | Bachhaus | 212 | A | 1.9 | 0 | 1.9 | 0 | 0 |
| 52 | Rütti | 3499 | Amandine | 57281 | Schächlimatte II | 210 | A | 1.3 | 0 | 1.3 | 0 | 0 |
| 53 | Rütti | 2078 | Amandine | 57501 | Tannacker 1 | 85 | E | 1.1 | 0 | 1.1 | 0 | 0 |
| 54 | Rütti | 3053 | Amandine | 57211 | Schachenmätteli | 81 | S | 1.1 | 0 | 1.1 | 0 | 0 |
| 55 | Rütti | 3571 | Amandine | 57396 | Waldboden B | 100 | SE1 | 1.1 | 0 | 1.1 | 0 | 0 |
| 56 | Rütti | 3597 | Amandine | 57526 | Hausmatte III | 120 | PB4 | 0.8 | 0 | 0.8 | 0 | 0 |
| 57 | Rütti | 3574 | Amandine | 57851 | Hausacker | 64 | SE1 | 0.6 | 0 | 0.6 | 0 | 0 |
| 58 | Rütti | 3470 | Amandine | 57100 | Moosmaatt | 140 | SE2 | 0.5 | 0 | 0.5 | 0 | 0 |
| 59 | Rütti | 2078 | Amandine | 57500 | Bannacker | 71 | E | 0 | 0 | 0 | 0 | 0 |
| 60 | Rütti | 3470 | Amandine | 57164 | Brunnmatt | 50 | PB3 | 0 | 0 | 0 | 0 | 0 |
| 61 | Rütti | 2478 | Ballerina | 57359 | Adrian | 120 | A | 2.7 | 0 | 2.7 | 0 | 0.01 |
| 62 | Rütti | 2327 | Bintje | 57848 | Schneckenfeld | 170 | A | 5.5 | 0 | 5.5 | 0 | 0 |
| 63 | Rütti | 2067 | Celtiane | 57953 | Stockern | 110 | abg. | 12.4 | 0 | 12.4 | 0 | 0 |
| 64 | Rütti | 3214 | Celtiane | 57379 | Than | 100 | A | 5.4 | 0 | 5.4 | 0 | 0 |
| 65 | Rütti | 2067 | Celtiane | 57955 | Stockern | 104 | A | 3.7 | 0 | 3.7 | 0 | 0 |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|-----------|--------------|-------------------------|--------|-----|-------|--------|---------|-------------|-------------|
| 66 | Rütti | 3214 | Celtiane | 57377 | Grund | 100 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 67 | Rütti | 3467 | Celtiane | 57168 | untere Mühlematt | 202 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 68 | Rütti | 3467 | Celtiane | 57169 | Beugen 3 | 110 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 69 | Rütti | 3127 | Celtiane | 57049 | Boden-Baumann | 110 | A | 2.6 | 0 | 2.6 | 0 | 0 |
| 70 | Rütti | 3127 | Celtiane | 57050 | obere Matte | 74 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 71 | Rütti | 1921 | Charlotte | 57203 | Widacker | 134 | A | 8 | 0.5 | 8.5 | 0 | 0 |
| 72 | Rütti | 1921 | Charlotte | 57202 | Tanndlisacker | 243 | A | 3.8 | 0 | 3.8 | 0 | 0 |
| 73 | Rütti | 2024 | Charlotte | 57942 | vordere Höhe III | 170 | A | 1.9 | 0 | 1.9 | 0 | 0 |
| 74 | Rütti | 2077 | Charlotte | 57368 | Grosacker 1 | 135 | S | 0.4 | 0 | 0.4 | 0 | 0 |
| 75 | Rütti | 2431 | Concordia | 57523 | Breiten 2 | 138 | A | 0 | 0 | 0 | 0 | 0 |
| 76 | Rütti | 3265 | Concordia | 57228 | Mösli - Süd | 145 | A | 0 | 0 | 0 | 0 | 0 |
| 77 | Rütti | 3265 | Concordia | 57226 | Mühlefeld 3 | 100 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 78 | Rütti | 3265 | Concordia | 57227 | Maad | 200 | A | 0 | 0 | 0 | 0 | 0 |
| 79 | Rütti | 3252 | Désirée | 57752 | Aspi 1 | 50 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 80 | Rütti | 3295 | Désirée | 57753 | Bühl | 100 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 81 | Rütti | 3252 | Désirée | 57751 | Neunhaupt B | 70 | SE1 | 1.1 | 0 | 1.1 | 0 | 0 |
| 82 | Rütti | 2478 | Désirée | 57353 | Buche | 96 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 83 | Rütti | 3344 | Désirée | 57167 | Hausmatte | 150 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 84 | Rütti | 2232 | Ditta | 56916 | hinter Lindenbühl | 130 | A | 2.7 | 1.4 | 4.1 | 0 | 0 |
| 85 | Rütti | 2210 | Erika | 57026 | Bleue 1+2 | 143 | E | 0.5 | 0.5 | 1 | 0 | 0 |
| 86 | Rütti | 3315 | Erika | 57551 | ungerem Hus | 180 | SE2 | 0 | 0.6 | 0.6 | 0 | 0 |
| 87 | Rütti | 1902 | Erika | 56923 | Innerberg Mani/Bergfeld | 285 | S | 0 | 0 | 0 | 0 | 0 |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|-----------|--------------|-----------------|--------|------|-------|--------|---------|-------------|-------------|
| 88 | Rütti | 1911 | Erika | 56921 | Kreuzacher 1 | 150 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 89 | Rütti | 1956 | Erika | 58152 | Steffen | 200 | S | 0 | 0 | 0 | 0 | 0 |
| 90 | Rütti | 2022 | Erika | 56918 | Hubel mitte | 201 | S | 0 | 0 | 0 | 0 | 0 |
| 91 | Rütti | 2204 | Erika | 57300 | Matte 2 | 150 | E | 0 | 0 | 0 | 0 | 0 |
| 92 | Rütti | 2208 | Erika | 57948 | Schönislehn | 150 | E | 0 | 0 | 0 | 0 | 0 |
| 93 | Rütti | 2210 | Erika | 57027 | Husmatt | 174 | E | 0 | 0 | 0 | 0 | 0 |
| 94 | Rütti | 2224 | Erika | 57081 | Stegbach II | 203 | S | 0 | 0 | 0 | 0 | 0 |
| 95 | Rütti | 3107 | Erika | 57000 | Eichacher | 130 | SE2 | 0 | 0 | 0 | 0 | 0 |
| 96 | Rütti | 3536 | Erika | 57137 | Oberflühacker | 200 | E | 0 | 0 | 0 | 0 | 0 |
| 97 | Rütti | 2234 | Fontane | 57362 | Schürlimoos | 174 | A | 0 | 5.5 | 5.5 | 0 | 0 |
| 98 | Rütti | 3357 | Fontane | 56914 | Teilstockacker | 200 | A | 1.9 | 0 | 1.9 | 0 | 0 |
| 99 | Rütti | 3286 | Fontane | 57241 | Hölzli | 85 | PB4 | 1.1 | 0 | 1.1 | 0 | 0 |
| 100 | Rütti | 3124 | Fontane | 57373 | unterster Acker | 26 | SE2 | 0.6 | 0 | 0.6 | 0 | 0 |
| 101 | Rütti | 3286 | Fontane | 57249 | Than | 120 | PB4 | 0.4 | 0 | 0.4 | 0 | 0 |
| 102 | Rütti | 3124 | Fontane | 57372 | Stübliacker | 160 | SE2 | 0 | 0 | 0 | 0.01 | 0 |
| 103 | Rütti | 3221 | Fontane | 57248 | Vordere Matte | 100 | SE2 | 0 | 0 | 0 | 0 | 0 |
| 104 | Rütti | 3466 | Fontane | 56932 | Strassacker | 164 | SE2 | 0 | 0 | 0 | 0 | 0 |
| 105 | Rütti | 3242 | Innovator | 57219 | Hofstattacker | 200 | abg. | 10.5 | 0 | 10.5 | 0 | 0 |
| 106 | Rütti | 3169 | Innovator | 57052 | Spycheracker | 100 | A | 8 | 0 | 8 | 0 | 0 |
| 107 | Rütti | 1435 | Innovator | 57350 | Hausmatte | 164 | A | 3.7 | 0 | 3.7 | 0 | 0 |
| 108 | Rütti | 3055 | Innovator | 57230 | Riedmatt | 100 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 109 | Rütti | 3107 | Innovator | 57504 | Gässli | 70 | A | 1.4 | 0.6 | 2 | 0 | 0 |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|--------------|--------------|-----------------|--------|-----|-------|--------|---------|-------------|-------------|
| 110 | Rütti | 3313 | Innovator | 57162 | Weidli | 95 | S | 1.1 | 0 | 1.1 | 0 | 0 |
| 111 | Rütti | 3556 | Innovator | 57134 | Mühlefeld | 190 | S | 0.8 | 0 | 0.8 | 0 | 0 |
| 112 | Rütti | 1450 | Innovator | 57517 | Matte I | 100 | A | 0.6 | 0 | 0.6 | 0 | 0 |
| 113 | Rütti | 3169 | Innovator | 57053 | hintere Matte | 100 | SE1 | 0.6 | 0 | 0.6 | 0 | 0 |
| 114 | Rütti | 3471 | Innovator | 57528 | Unterführung | 37 | SE1 | 0.6 | 0 | 0.6 | 0 | 0 |
| 115 | Rütti | 1436 | Innovator | 57290 | Hänni | 164 | S | 0.4 | 0 | 0.4 | 0 | 0 |
| 116 | Rütti | 2261 | Innovator | 57295 | Matte | 110 | SE1 | 0.4 | 0 | 0.4 | 0 | 0 |
| 117 | Rütti | 3515 | Innovator | 57572 | Bäreggmatte III | 110 | SE1 | 0.4 | 0 | 0.4 | 0 | 0 |
| 118 | Rütti | 2241 | Innovator | 58085 | Ackerli | 100 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 119 | Rütti | 2261 | Innovator | 57294 | Schangle I | 74 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 120 | Rütti | 3055 | Innovator | 57229 | Pfareggacker | 100 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 121 | Rütti | 3069 | Innovator | 58162 | Speicheracker | 176 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 122 | Rütti | 3105 | Innovator | 57402 | Krummacker | 100 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 123 | Rütti | 3107 | Innovator | 57002 | Hausmatte | 75 | S | 0 | 0 | 0 | 0 | 0 |
| 124 | Rütti | 3272 | Innovator | 57342 | Vorem Hardtli | 220 | S | 0 | 0 | 0 | 0 | 0 |
| 125 | Rütti | 3420 | Innovator | 58165 | Hausmatte | 165 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 126 | Rütti | 3471 | Innovator | 57529 | Ranflühmatte 2 | 87 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 127 | Rütti | 3545 | Innovator | 57210 | Boden | 100 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 128 | Rütti | 3545 | Innovator | 57209 | Leimgrube | 125 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 129 | Rütti | 3127 | Ivory Russet | 57051 | Thanfeld 3 | 168 | A | 1.9 | 0 | 1.9 | 0 | 0 |
| 130 | Rütti | 2404 | Jelly | 57220 | Vor dem Haus | 200 | A | 0 | 5.5 | 5.5 | 0 | 0 |
| 131 | Rütti | 1947 | Jelly | 58041 | Im Feld | 250 | A | 0 | 3.8 | 3.8 | 0 | 0 |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|--------------|--------------|------------------|--------|------|-------|--------|---------|-------------|-------------|
| 132 | Rütti | 2101 | Jelly | 57244 | Sandärgerten | 256 | A | 0.4 | 1.9 | 2.3 | 0.01 | 0.01 |
| 133 | Rütti | 2225 | Jelly | 57155 | Moos | 160 | E | 0 | 1.1 | 1.1 | 0 | 0 |
| 134 | Rütti | 3310 | Jelly | 57754 | Riedmatte 1 | 100 | S | 0.5 | 0.5 | 1 | 0 | 0 |
| 135 | Rütti | 2476 | Jelly | 57756 | Langenwil | 134 | PB4 | 0 | 0 | 0 | 0 | 0 |
| 136 | Rütti | 3011 | Lady Claire | 58036 | Hessmatte | 170 | A | 2.7 | 0 | 2.7 | 0 | 0 |
| 137 | Rütti | 3590 | Lady Rosetta | 57171 | Wydacker II | 180 | A | 1.4 | 2.7 | 4.1 | 0 | 0 |
| 138 | Rütti | 2335 | Lady Rosetta | 57098 | Boden 1 | 220 | A | 0 | 2.7 | 2.7 | 0.01 | 0 |
| 139 | Rütti | 2421 | Lady Rosetta | 57035 | Ey II | 185 | A | 0.5 | 1.1 | 1.6 | 0 | 0 |
| 140 | Rütti | 1475 | Lady Rosetta | 57301 | Matte Wyttenbach | 150 | S | 0.8 | 0 | 0.8 | 0 | 0 |
| 141 | Rütti | 2284 | Lady Rosetta | 57247 | Parzelle 9 | 200 | S | 0 | 0.4 | 0.4 | 0 | 0 |
| 142 | Rütti | 2213 | Lady Rosetta | 57291 | Neumatt | 150 | S | 0 | 0 | 0 | 0 | 0 |
| 143 | Rütti | 3286 | Markies | 57243 | Zaugg Kurt | 100 | abg. | 20.6 | 13 | 33.6 | 0 | 0 |
| 144 | Rütti | 2031 | Markies | 57558 | Kirchdorf | 250 | abg. | 10.5 | 0.3 | 10.8 | 0 | 0 |
| 145 | Rütti | 2821 | Markies | 56900 | Schleumenstr. | 389 | A | 8 | 0 | 8 | 0 | 0 |
| 146 | Rütti | 3286 | Markies | 57242 | Halde | 100 | A | 2.7 | 3.8 | 6.5 | 0 | 0 |
| 147 | Rütti | 2003 | Markies | 57021 | Zelg 3 | 210 | A | 5.5 | 0.4 | 5.9 | 0 | 0 |
| 148 | Rütti | 2031 | Markies | 57560 | Klapf | 100 | A | 2.7 | 1.4 | 4.1 | 0 | 0 |
| 149 | Rütti | 2031 | Markies | 57559 | obere Hausmatt | 100 | E | 1.1 | 0 | 1.1 | 0 | 0 |
| 150 | Rütti | 2491 | Pirol | 57036 | Weide | 150 | A | 0.5 | 5.4 | 5.9 | 0 | 0 |
| 151 | Rütti | 2084 | Pirol | 57239 | Höch | 161 | A | 5.6 | 0 | 5.6 | 0 | 0 |
| 152 | Rütti | 2496 | Pirol | 57524 | Schützenhaus | 180 | A | 1.9 | 0 | 1.9 | 0 | 0 |
| 153 | Rütti | 3469 | Pirol | 57279 | Erlenbach Matte | 200 | A | 1.9 | 0 | 1.9 | 0 | 0 |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|-----------|--------------|----------------------|--------|------|-------|--------|---------|-------------|-------------|
| 154 | Rütti | 2487 | Pirol | 57580 | Moos I | 114 | PB3 | 0 | 0 | 0 | 0 | 0 |
| 155 | Rütti | 1942 | SH C 1010 | 57286 | Blattenree | 450 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 156 | Rütti | 1942 | Sorentina | 57288 | Lange Furche | 185 | A | 1.9 | 0 | 1.9 | 0 | 0 |
| 157 | Rütti | 2402 | Venezia | 58064 | Nr. 1 | 180 | SE1 | 0 | 0.4 | 0.4 | 0 | 0 |
| 158 | Rütti | 3556 | Venezia | 57136 | Strassacker HE | 105 | S | 0 | 0.4 | 0.4 | 0 | 0 |
| 159 | Rütti | 2432 | Venezia | 57079 | Buchholz | 200 | S | 0 | 0 | 0 | 0 | 0 |
| 160 | Rütti | 3520 | Venezia | 58154 | Husmatte 2 | 55 | PB3 | 0 | 0 | 0 | 0 | 0 |
| 161 | Rütti | 3520 | Venezia | 58153 | Husmatte 2 | 65 | S | 0 | 0 | 0 | 0 | 0 |
| 162 | Rütti | 3589 | Venezia | 57153 | Hausmatte | 110 | SE1 | 0 | 0 | 0 | 0 | 0 |
| 163 | Rütti | 3176 | Victoria | 57959 | Mühlematte | 170 | A | 8 | 0 | 8 | 0 | 0 |
| 164 | Rütti | 3222 | Victoria | 58151 | 2 Unterst | 150 | A | 5.5 | 0 | 5.5 | 0 | 0 |
| 165 | Rütti | 3022 | Victoria | 57348 | Hausmatte | 46 | PB4 | 1.1 | 0 | 1.1 | 0 | 0 |
| 166 | Rütti | 2020 | Victoria | 57097 | Schürmatte | 75 | S | 0.5 | 0 | 0.5 | 0 | 0 |
| 167 | Rütti | 2020 | Victoria | 57096 | Höhenacker 2 | 136 | S | 0.4 | 0 | 0.4 | 0 | 0 |
| 168 | Rütti | 3022 | Victoria | 57347 | Ramseimatte | 128 | PB4 | 0.4 | 0 | 0.4 | 0 | 0 |
| 169 | Rütti | 2222 | Victoria | 57146 | Moos | 220 | abg. | >10.5 | 0.3 | >10.8 | 0 | 0 |
| 170 | Rütti | 3022 | Victoria | 57346 | Stampflmatte | 60 | S | 0 | 0 | 0 | 0 | 0 |
| 171 | Rütti | 3365 | Victoria | 57578 | Gwyd III | 114 | S | 0 | 0 | 0 | 0 | 0 |
| 172 | Rütti | 3365 | Victoria | 57577 | unt. Matte/Neumatt | 200 | S | 0 | 0 | 0 | 0 | 0 |
| 173 | Rütti | Import | Acoustic | | IMP-NL-52446-SEM-517 | | | | | | | |
| 174 | Rütti | Import | Celtiane | | IMP-F-120515-SEM-558 | | | | | | | |
| 175 | Rütti | Import | Gwenne | | IMP-F-120549-SEM-555 | | | | | | | |

| Nr. Probe | Ort | Nr. Produzent | Sorte | Nr. Parzelle | Name Parzelle | Fläche | Kl. | % PVY | % PLRV | % Virus | Welke 1. FB | Welke 2. FB |
|-----------|-------|---------------|-----------|--------------|----------------------|--------|-----|-------|--------|---------|-------------|-------------|
| 176 | Rütti | Import | Jelly | | IMP-D-50357-SEM-592 | | | | | | | |
| 177 | Rütti | Import | Markies | | IMP-NL-56328-SEM-544 | | | | | | | |
| 178 | Rütti | Import | SH C 1010 | | IMP-NL-10494-SEM-519 | | | | | | | |
| 179 | Rütti | Import | SH C 1010 | | IMP-NL-55224-SEM-540 | | | | | | | |
| 180 | Rütti | Import | Sorentina | | IMP-D-132401-SEM-524 | | | | | | | |